

SINCE 1957

HI-LO

1999



Simply The Best



Low Profile Towing & Full-Size Livability



CLASSIC 31S

Full-Size Livability

HI-LO's all new 31 ft. Slide Out Model is even more spacious. You will be amazed when you step inside. The spaciousness and airy atmosphere is so inviting you'll just want to relax in its comfort and beauty. All HI-LO Classic models feature this fashionable interior with comfortable couches with no-sag springs and luxurious tufted nylon velvet that's easy to care for. And they also have solid oak cabinet doors and finely detailed counter tops

trimmed in hand finished oak. Color co-ordinated interior and pleated day/night shades offer beauty and privacy. A large front window gives a panoramic view and a feeling of spaciousness. Beauty and practicality go hand in hand with plush, stain resistant carpet and fashionable vinyl wallcoverings that provide elegance and durability. Hi-Lo truly stands better than any travel trailer on the market.




CLASSIC 31S



WIDE BODY
WITH SLIDE OUT

Convenient Dining

This 21ft. FunLite side dinette model features a side kitchen and front lounge with luxurious nylon velvet cushions and plenty of window area. Our modern kitchens offer plenty of storage, counter space, and feature step-saving designs and the finest equipment.




Complete Accommodations

Spacious bathrooms provide complete accommodations for the most demanding traveler. Features include shower with insulated skylight dome, attractive and long-lasting vinyl flooring and the same well-planned design found throughout our interiors. Two large holding tanks total 47 gallon storage capacity.

Restful Sleep

Large bedrooms with princess size walk around beds are featured in Classic 29 ft. and 31ft. wide body models. Beds include easy access under bed storage. There are plenty of windows to welcome maximum light and ventilation and day-night pleated shades offer maximum privacy.





CLASSIC 22L

Low Profile Towing

With the flip of a switch, your Hi-Lo trailer lowers a full 31" in just seconds to its low aerodynamic profile. Hi-Lo's aerodynamic design, with its modern looking windshield, gives even better air flow and greater reduction of sway and buffeting caused by passing large vehicles and crosswinds, which means better stability. Hi-Lo's low center of gravity and aerodynamic design make it the safest and easiest travel trailer to tow. Our renowned low travel profile reduces air drag up to 70%, which can mean a 77%


savings on fuel costs, making Hi-Lo the most fuel efficient travel trailer on the market. Tandem axles with rubber shock absorbing and independent wheel suspension feature, gives a smoother, safer and most stable ride. Trailer Life, the most respected RV magazine, may have said it best when they called Hi-Lo *"The best of both worlds . . . low profile towing with full sized livability"*.

Collision Avoidance Light standard on Classic models provides that extra measure of safety by reducing rear-end collisions by 22% (NHTSA).

Super Durable, Fully Laminated Construction. Hi-Lo construction is a laminated sandwich of aluminum roof and fiberglass side walls, both with backer board, polystyrene foam, tubular steel and plywood interior paneling.

Rubber Suspension System and designer sport wheels and tires add an extra measure of beauty, stability, and ride comfort to each Hi-Lo trailer making it the **BEST** and safest towing travel trailer.

Heavy Duty Hydraulic Cylinder capable of developing over 17000lbs of force.



Powerful 12-Volt Hydraulic Pump raises or lowers Hi-Lo's upper section in seconds. The pump is located in this compartment on Classic models and in the tow bar area on FunLite

A built in manual back-up pump is standard on all Hi-Lo models

Aerodynamic Design. Hi-Lo Classic's molded fiberglass front design, gives a better air flow, setting the pace for the future. Hi-Lo FunLite models feature partial ABS caps giving rounded roof lines.

Ultra Modern Windshield in all Classic models and large front awning window in FunLite models give a beautiful panoramic view of the outside and a feeling of spaciousness to the interior.

Spare Tire (standard in Classic 26ft, 29ft, & 31ft) and optional in 22ft & 24ft Classic models is securely stored in the tow bar area. The optional spare tire is mounted on the rear bumper on all FunLite models.



Storage Space? No Problem.

This rear bumper storage compartment and basement-access locking compartments provide plenty of secured storage space. They're standard in all Classic models. Every space is used in the interior,

as well, with easy access storage compartments found throughout each Hi-Lo trailer. Innovative design is just one more feature that sets Hi-Lo apart from the competition.



Under Floor Storage

Hi-Lo FunLite models feature under floor storage pods and rear bumper storage. FunLite's exterior is laminated fiberglass with a 2" mesa design as shown on this 21ft. model.

Can Be Stored In The Garage

Hi-Lo's profile allows you to securely store your trailer in the garage, which saves storage fees and allows you to comply with zoning laws.

HI-LO Specifications

STANDARD AND OPTIONAL FEATURES

Models Description	FunLite		Classic			
	21&24	22&24	26	29	31	
Automatic Hydraulic Lift	S	S	S	S	S	S
Manual Lift—Back up	S	S	S	S	S	S
3-Burner High Output Range Top and Oven	S	S	S	S	S	S
Double Compartment Sink	S	S	S	S	S	S
Single Sink Cover	S	S	S	S	S	S
Pull-Out Cutting Board	N	N	S	N	S	S
Monitoring System	S	S	S	S	S	S
Flush Toilet (w/holding tank)	S	S	S	S	S	S
Shower (w/water heater)	S	S	S	S	S	S
6 Gal. Gas Water Heater w/By-Pass	S	S	N	N	N	N
6 Gal. DSI/110V Water Heater w/By -Pass	O	O	S	S	S	S
Holding Tanks	2	2	2	2	2	2
30 gal. Demand Water (Auto Reg.)	S	S	S	S	S	S
2-20lb. LP Gas Bottle w/Auto Reg. & Cover	S	N	N	N	N	N
2-30 lbs. LP Gas Bottles w/Auto Reg. & Cover	O	S	S	S	S	S
Furnace-Forced Air Duct w/Thermostat Automatic Light	16,000 BTU	S	S	N	N	N
	25,000 BTU	N	N	S	N	N
	31,000 B	N	N	N	S	S
Panoramic View Front Window	N	S	S	S	S	S
Skylight Roof Vents	2	2	2	3	3	3
Skylight Dome	S	S	S	S	S	S
10" Electric Brakes all Wheels	S	S	S	S	S	S
Bumper Storage	S	S	S	S	S	S
Quartz Clock	O	O	S	S	S	S
Battery 12V Heavy Duty	S	S	S	S	S	S
Dometic Refrigerator (3-way)	S	S	S	S	S	S
Dometic Air Conditioner 13,500 BTU	O	O	O	O	O	O
Cable Ready TV and Phone Jacks	O	O	S	S	S	S
T.V. Antenna	O	O	S	S	S	S
AM-FM Radio w/Cassette	O	O	S	S	S	S
Luxury Awning	O	O	O	O	O	O
Swing-Away Front Bed	O	O	O	N	N	N
Extra Overhead Cabinets (1-26FB)	O	O	O	S	S	S
Luxury Carpeting (partial)	O	O	S	S	S	S
Automatic Changeover Regulator	O	S	S	S	S	S
Power Hitch Jack	O	O	O	S	S	S
Wrap-Around Tail Lights	N	S	S	S	S	S
Stabilizer Jacks	S	S	S	S	S	S
Spare Tire & Cover	O	O	S	S	S	S
Designer Sport Wheels & Radial Tires	S	S	S	S	S	S
Radius Tinted Windows	S	S	S	S	S	S
Power Converter	S	S	S	S	S	S
Power Vent in Bath Area	S	S	S	S	S	S
Basement Storage	N	S	S	S	S	S
Pleated Shades	S	N	N	N	N	N
Day-Night Pleated Shades	N	S	S	S	S	S
Sun Shade (front window)	S	O	O	O	O	O
Sun Shade (rear window)	N	O	O	O	O	O
Smoke Alarm	S	S	S	S	S	S
Swivel Chair (2 in 26FB)	N	N	N	N	S	S
Double Entry Step	S	S	S	S	S	S
Outside Utility Lights—front	N	S	S	S	S	S
Fantastic Fan	O	O	O	S	S	S
L.P. Gas Detector	S	S	S	S	S	S
Outside Wash-down Kit	O	O	O	S	S	S
Keyed Security Dead Bolt	S	S	S	S	S	S
Walk-Around Bed (NA in 21,22 & 26RD&B)	N/O	N/O	N	S	S	S
Solar Charger	O	O	O	S	S	S
Built-In TV w/Remote	N	N	N	N	S	S

S - Standard O - Optional N - Not Available


BED SIZES

Models Description	FunLite		Classic						
	21FL	24FL	22L	24D	26RD	26FB	26B	29B	31S
Swing Away Bed	44x84	44x84	44x84	44x84	44x84	N	N	N	
Stationary Bed	N	0-60x75	N	0-60x75	N	54x75	48x75	60x75	60x75
Optional Twin	N	N	N	N	N	N	N	2-32x75	2-32x75
Sofa	48x81	78x81	54x75	78x87	60x87	2 chairs	44x72	45x72	45x72
Dinette	38x75	38x75	40x75	40x75	40x75	40x75	54x87	38x75	38x75

GENERAL SPECIFICATIONS

Models Description	FunLite		Classic					
	21FL	24FL	22L	24D	26RD	26FB&B	29B	31S
Length	20'11"	24'0"	21'10"	24'1"	26'4"	26'4"	29'10"	31'10"
Width	94"	94"	100"	100"	100"	100"	100"	100"
Traveling Height*	68"	68"	72"	72"	74"	74"	74"	78"
Interior Height	78"	78"	78"	78"	78"	78"	78"	78"
UVW (Unloaded Vehicle Wt.)	3412	3810	3975	4250	4575	4575	5750	5920
GVWR	4400	5200	5500	6000	6300	6300	7000	7600
GAWR	2500/2500	2500/2500	3000/3000	3000/3000	3500/3500	3500/3500	3500/3500	3500/3500
Axle Wt. (lbs. Approx.)	2912	3220	3475	3463	3985	3875	4375	5120
Hitch Wt. (lbs. Approx.)	500	590	500	670	590	700	775	800
No. of Wheels	4	4	4	4	4	4	4	4
Tire Size	ST175/80R13		ST205/75R15—Max 50 PSI					
Sleeping Capacity	4-6	4-6	4-6	4-6	4-6	3-4	6	6
Refrigerator	4 Cu'	4 Cu'	5Cu'	5Cu'	5Cu'	5Cu'	5Cu'	5Cu'
Cargo Capacity (lbs.)	988	1390	1525	1750	1725	1775	1350	1680
Holding Tanks (Tot. Gal.)	47	47	47	47	47	47	47	47


(*) Not including roof projections.




HI-LO proved its fuel efficiency in a fuel consumption test conducted by Transportation Research Center (TRC). Travel trailers were towed by the same Chevy Astro Mini-Van with a 4.3 V-6 engine in a steady-state highway speed of 65 mph at TRC test track at East Liberty, Ohio. HI-LO achieved a remarkable 5 more miles per gallon. Reduced air drag obtained through decreased frontal area and aerodynamic design proves to be the most important factor in reducing fuel consumption and wear on automobile engines and drive trains.

HI-LO Classic FLOORPLANS


22L




24D




OPTION




26RD




26B




26FB




29B



26FB OPTION




31S




HI-LO FunLite FLOORPLANS


21FL



24FL



OPTION





HI-LO : Worth Every Penny

Everything you've always wanted in full size comfort, with the advantage of lasting value, safety, and the highest fuel efficiency rating of any travel trailer on the market. Hi-Lo builds in quality throughout each step of the manufacturing process. With exclusive features that mean added economy, safety, durability, and convenience, we can comfortably make the claim that Hi-Lo is "the

travel trailer that has it all". It's well worth the initial investment because Hi-Lo gives you higher resale value than other trailers in the same price category. Compare Hi-Lo with any other trailer for beauty, comfort, quality, durability, towability, and, most importantly, safety - and you'll see that Hi-Lo presents the best value in recreational vehicles.

6-Year Limited Warranty on Lifting System

Hi-Lo warrants to the original purchaser that it will replace (through its authorized service centers) any part of your Hi-Lo hydraulic lifting system (excluding the battery) which becomes broken or inoperative due to defects in material or workmanship within six years from date of original purchase.

In addition, Hi-Lo warrants that it will repair or replace (through its authorized service centers) any part of your Hi-Lo travel trailer found defective due to defects in material or workmanship within 12 months from date of original purchase. (Components such as tires, running gear, power converter, battery, plumbing & electrical fixtures, refrigerator, range, etc. are subject to separate warranties issued by other manufacturers.)

Ask your dealer for complete details of Hi-Lo warranties.



FUNLITE 21FL

Test-Tow The World's Most Fuel Efficient Travel Trailer At Your Authorized Hi-Lo Dealer Today.



**Hi-Lo Trailer Co. • 145 Elm Street
Butler, OH 44822 • 419-883-3000**

Note: All standard and optional features are available at the time of printing. Hi-Lo, however, reserves the right to improve and/or modify the product, which may change the specifications, models, and feature availability. Check with your local Hi-Lo dealer for updated information. HL-190 Reg. U.S. Pat. and TM off.