

HILLO

Classic

Aerodynamic Towing At It's Best



Low Profile Towing & Full-Size Livability



Full-Size Livability

An all new, luxurious interior decor has an airy, more spacious atmosphere that gives you that "good feeling" from the moment you enter. Our fashionable interiors feature a comfortable couch with no-sag springs and luxurious tufted man made leather that's easy to care for, solid oak raised panel cabinet doors, and finely detailed counter tops trimmed in hand-finished oak. Color

coordinated interior and pleated day/night shades offer beauty and privacy. A large front window gives a panoramic view and a feeling of spaciousness. Beauty and practicality go hand in hand with plush, stain resistant carpet and fashionable vinyl wall-coverings that provide elegance and durability. Hi-Lo truly stands better than any travel trailer on the market.



Low Profile Towing

Convenient Dining

This new 29ft. classic model features a side kitchen, a front lounge with luxurious man-made leather, and a handy bar for casual dining. Other models offer dinette seating. Our modern kitchens offer plenty of storage, counter space, and feature step-saving designs and the finest equipment.




Complete Accommodations

Spacious bathrooms provide complete accommodations for the most demanding traveler. Features include shower with insulated skylight dome, attractive and long-lasting vinyl flooring and the same well-planned design found throughout our interiors. Two large holding tanks total 47 gallon storage capacity.

Restful Sleep

Large bedrooms with princess size walk around beds are featured in Classic 27 ft, 29 ft. and 31ft. models. Beds include easy access under bed storage. There are plenty of windows to welcome maximum light and ventilation and day-night pleated shades offer maximum privacy.





CLASSIC 2401D

Low Profile Towing

With the flip of a switch, your Hi-Lo trailer lowers a full 31" in just seconds to its low aerodynamic profile. Hi-Lo's aerodynamic design, with its modern looking windshield, gives even better air flow and greater reduction of sway and buffeting caused by passing large vehicles and crosswinds, which means better stability. Hi-Lo's low center of gravity and aerodynamic design make it the safest and easiest travel trailer to tow. Our renowned low travel profile reduces air drag up to 70%, which can mean a 77%

savings on fuel costs, making Hi-Lo the most fuel efficient travel trailer on the market. Tandem axles with rubber shock absorbing, independent wheel suspension feature, gives a smoother, safer and The most stable ride. Trailer Life, the most respected RV magazine, may have said it best when they called Hi-Lo "The best of both worlds . . . low profile towing with full sized livability".

Collision Avoidance

Light standard on Classic models provides that extra measure of safety by reducing rear-end collisions by 22% (NHISA).


Super Durable, Fully Laminated Construction.

Hi-Lo construction is a laminated sandwich of durable roof and fiberglass side walls, both with backer board, polystyrene foam, tubular steel and plywood interior paneling.

Rubber Suspension System

and designer sport wheels and tires add an extra measure of beauty, stability, and ride comfort to each Hi-Lo trailer making it the BEST and safest towing travel trailer.

Heavy Duty Hydraulic Cylinder capable of developing over 17000lbs of force.



Powerful 12-Volt Hydraulic Pump raises or lowers Hi-Lo's upper section in seconds. The pump is located in this compartment on Classic models.

A built in manual back-up pump is standard on all Hi-Lo models.

Aerodynamic Design

Hi-Lo Classic's molded fiberglass front design, gives a better air flow, setting the pace for the future.

Ultra Modern Windshield

in all Classic models gives a beautiful panoramic view of the outside and a feeling of spaciousness to the interior.

Spare Tire (standard in Classic 26ft, 27ft, 29ft, & 31ft) and optional in 22ft & 24ft Classic models.



Storage Space? No Problem.

This rear bumper storage compartment and basement-access locking compartments provide plenty of secured storage space. They're standard in all Classic models. Every space is used in the inte-


rior, as well, with easy access storage compartments found throughout each Hi-Lo trailer. Innovative design is just one more feature that sets Hi-Lo apart from the competition.



Classic 2401D

Slide Out Pump & Battery

Hi-Lo Classic models feature a slide out compartment with space for second battery.



CLASSIC 2201L

Can Be Stored In The Garage

Hi-Lo's profile allows you to securely store your trailer in the garage, which saves storage fees and allows you to comply with zoning laws.

HI-LO Specifications


STANDARD & OPTIONAL FEATURES Description	MODELS					
	2001L 2001	2401D 2401	2601RD 2601	2701FB 2701	2901L 2901	3101B 3101
Automatic Hydraulic Lift	S	S	S	S	S	S
Manual Lift—Back up	S	S	S	S	S	S
3-Burner High Output Range Top and Oven	S	S	S	S	S	S
Double Compartment Sink	S	S	S	S	S	S
Single Sink Cover	S	S	S	S	S	S
Microwave in Lieu of Oven	O	O	O	O	O	**
Monitoring System	S	S	S	S	S	S
Flush Toilet (w/holding tank)	S	S	S	S	S	S
Shower (w/water heater)	S	S	S	S	S	S
6 Gal. Gas Water Heater w/By-Pass	S	N	N	N	N	N
6 Gal. DSI/110V Water Heater w/By -Pass	O	S	S	S	S	S
Holding Tanks	2	2	2	2	2	2
30 gal. Demand Water System	S	S	S	S	S	S
2-30 lbs. LP Gas Bottles w/Auto Reg. & Cover	S	S	S	S	S	S
Furnace-Forced Air Duct	S	S	N	N	N	N
w/Thermostat Automatic Light	16,000 BTU	S	S	N	N	N
	25,000 BTU	N	N	S	N	N
	31,000 BTU	N	N	N	S	S
Panoramic View Front Window	S	S	S	S	S	S
Skylight Roof Vents	2	2	2	3	3	3
Skylight Dome	S	S	S	S	S	S
10" Electric Brakes all Wheels	S	S	S	S	S	S
Bumper Storage	S	S	S	S	S	S
Quartz Clock	O	S	S	S	S	S
Battery 12V Heavy Duty	S	S	S	S	S	S
Dometic Refrigerator (3-way)	S	S	S	S	S	S
Dometic Air Conditioner 13,500 BTU	O	O	O	O	O	O
Cable Ready TV and Phone Jacks	O	S	S	S	S	S
T.V. Antenna	O	S	S	S	S	S
AM-FM Radio w/CD Player	O	S	S	S	S	S
Luxury Awning	O	O	O	O	O	O
Swing Away Front Bed	O	O	O	N	N	N
Extra Overhead Cabinets (1-2701FB)	O	O	S	S	S	S
Luxury Carpeting (partial)	O	S	S	S	S	S
Power Hitch Jack	O	O	O	S	S	S
Wrap-Around Tail Lights	S	S	S	S	S	S
Stabilizer Jacks	S	S	S	S	S	S
Spare Tire & Cover	S	S	S	S	S	S
15" Designer Sport Wheels & Radial Tires	S	S	S	S	S	S
Radius tinted Windows	S	S	S	S	S	S
Power Converter	S	S	S	S	S	S
Power Vent in Bath Area	S	S	S	S	S	S
Basement Storage	S	S	S	S	S	S
Day-Night Pleated Shades	S	S	S	S	S	S
Sun Shade (front window)	O	O	O	O	O	O
Sun Shade (rear window)	O	O	O	O	O	O
Smoke Alarm	S	S	S	S	S	S
Swivel Chair (2 in 2701FB)	N	N	O	S	N	N
Double Entry Step	S	S	S	S	S	S
Outside Utility Lights - front	S	S	S	S	S	S
Fantastic Fan	O	O	O	S	S	S
L.P. Gas Detector	S	S	S	S	S	S
Outside Wash-down Kit	O	O	O	S	S	S
Keyed Security Dead Bolt	S	S	S	S	S	S
Walk Around Bed	N	N	S	S	S	S
Solar Charger	O	O	O	S	S	S
Built-In TV w/Remote	N	N	N	N	N	S
Hard Wood Floor	N	N	N	O	O	O
Oak Bar Chairs	N	N	N	S	N	N

S - Standard O - Optional N - Not Available
** Standard with oven in model 3101B

Description	MODELS AND BED SIZES						
	2201L	2401D	2601RD	2701FB	2901L	2901B	3101B
Swing Away Bed	44"X84"	44"X84"	44"X84"	N/A	N/A	N/A	N/A
Stationary Bed	N/A	N/A	N/A	60"X75"	60"X75"	60"X75"	60"X75"
Optional Twin	N/A	N/A	N/A	N/A	2-32X75	2-32x75	2-32X75
Sofa	54"X75"	78"X81"	60"X87"	60"X45"	45"X72"	45"X72"	45"X72"
Dinette	40"X75"	40"X75"	40"X75"	40"X75"	N/A	38"X75"	38"X75"

Description	GENERAL SPECIFICATIONS						
	2201L	2401D	2601RD	2701FB	2901L	2901B	3101B
Length	21'10"	24'1"	26'4"	27'10"	29'10"	29'10"	31'10"
Width	100	100	100	100	100	100	100
Traveling Height*	74"	74"	76"	76"	76"	76"	76"
Interior Height	78"	78"	78"	78"	78"	78"	78"
UVW (Unbraked Weight)	4050	4350	4675	4933	5520	5250	5820
GWR	5500	6000	6000	6500	7500	7000	7500
GAWR	3500/3500	3500/3500	3500/3500	3500/3500	3500/3500	3500/3500	3500/3500
Axle Wt. (lbs. Approx.)	3525	3660	4075	4283	4850	4475	5120
Hitch Wt. (lbs. Approx.)	525	690	600	650	670	775	700
No. of Wheels	4	4	4	4	4	4	4
Tire Size	ST205/75R15 Max 50 PSI						
Sleeping Capacity	4-6	4-6	4-6	4-6	4	6	6
Refrigerator	5Cu'	5Cu'	5Cu'	5Cu'	5Cu'	5Cu'	5Cu'
Holding Tanks (hot/cold)	4/7	4/7	4/7	4/7	4/7	4/7	4/7


(*) Not including roof projections.




HI-LO proved its fuel efficiency in a fuel consumption test conducted by Transportation Research Center (TRC). Travel trailers were towed by the same Chevrolet Astro Mini-Van with a 4.3 V-6 engine in a steady-state highway speed of 65 mph at TRC test track at East Liberty, Ohio. HI-LO achieved a remarkable 5 more miles per gallon. Reduced air drag obtained through decreased frontal area and aerodynamic design proves to be the most important factor in reducing fuel consumption and wear on automotive engines and drive trains. Towing a 22' Hi-Lo at 55 mph resulted in 14.5 mpg.

HI-LO Classic FLOORPLANS


22011




2401D




2601RD




2701HB




29011



2901B



3101B





CLASSIC 2901L

CLASSIC 2901B

HI-LO : Worth Every Penny

Everything you've always wanted in full size comfort, with the advantage of lasting value, safety, and the highest fuel efficiency rating of any travel trailer on the market. Hi-Lo builds in quality throughout each step of the manufacturing process. With exclusive features that mean added economy, safety, durability, and convenience, we can comfortably make the claim that Hi-Lo is "the

travel trailer that has it all." It's well worth the initial investment because Hi-Lo gives you higher resale value than other trailers in the same price category. Compare Hi-Lo with any other trailer for beauty, comfort, quality, durability, towability, and, most importantly, safety - and you'll see that Hi-Lo presents the best value in recreational vehicles.


Lifetime Limited Warranty on Lifting System

Hi-Lo warrants to the original purchaser that it will repair or replace (through its authorized service centers) any part of your Hi-Lo hydraulic lifting system (excluding the battery) which becomes broken or inoperative due to defects in material or workmanship.

In addition, Hi-Lo warrants that it will repair or replace (through its authorized service centers) any part of your Hi-Lo travel trailer found defective due to defects in material or workmanship within 12 months from date of original purchase. (Components such as tires, running gear, power converter, battery, plumbing & electrical fixtures, refrigerator, range, etc. are subject to separate warranties issued by other manufacturers.)

Ask your dealer for complete details of Hi-Lo warranties.

Test-Tow The World's Most Fuel Efficient Travel Trailer At Your Authorized Hi-Lo Dealer Today.



Hi-Lo Trailer Co. Inc • 145 Elm Street
Butler, OH 44822 • 419-883-3000

Note: All standard and optional features are available at the time of printing. Hi-Lo, however, reserves the right to improve and/or modify the product, which may change the specifications, models, and feature availability. Check with your local Hi-Lo dealer for updated information.